


Incasso a scomparsa totale
Installazione in parete o soffitto di
cartongesso o laterizio (vedi avvertenze
specifiche per laterizio)
Corpo in Coral®
Fornito completo di meccanica orientabile

Recessed luminaires of total disappearance
 Wall and ceiling mounting
 Body in **Coral®**
 Supplied with orientable rectangular recessed
 Installation in plasterboard and/or brick (see the
 special instructions for brick)

Einbaustrahler von Vollständiger unsichtbarkeit
 Wand und Deckenanbringung
 Frontkörper aus **Coral®**
 Asgestattet mit ausrichtbarem rechteckigen
 Einbaustrahler
 Installation in Gipskarton und/oder Ziegelstein
 (siehe die speziellen Anweisungen für Ziegelstein)



inclinazione fascio luce beam direction
foro emissione luce light emission hole
codice code
lampadina lamp type
colore colour
attacco fitting
max watt
volts
dimensioni dimensions A
foro per cartongesso
 cut out for plaster cardboard
optional
max watt
volts - HZ
optional
cassaforma per
calcestruzzo/laterizio
 concrete/brick housing

orientabile
 directional

90x90 mm

6241



QR CB 51

GU5,3

50W

12V

130 mm

160x160 mm

H 8060

trasf. elettr. dimmerabile
 electronic transf. dimmable

60W

230/12V - 50/60



BR6241LT

orientabile
 directional

90x90 mm

6244



QPAR 16

GZ10

50W

220V

130 mm

160x160 mm

BR6244LT

NEW WIRING

orientabile
 directional

90x90 mm

6247



BriteSpot ES50

GX10

35W

220V

150 mm

160x160 mm

H 8035

ballast elettronico
 electronic ballast

35W

230V - 50/60



BR6247LT

NEW WIRING

orientabile
 directional

90x90 mm

6248



LED

bianco white 3000°K

3 x 3W - 700 mA

130 mm


160x160 mm



H 8009

alimentatore elettronico
in corrente continua
 constant current electrical b.
10W - 700 mA



BR6248LT






Casa privata - ASZ Partners - Firenze



Casa privata - ASZ Partners





Casa privata - Arch. Sensoli